

	STAND ILUMINACIONES S.A.S.		Código: DC-PR-VT-10
	LISTA DE PRECIOS PRODUCTO DE LINEA		Versión: No.1
			01/04/2025

REFERENCIA	CÓDIGO	DESCRIPCIÓN	PRECIO
PARTES, ACCESORIOS Y REPUESTOS	ACCSQUARE	ACCESORIOS PARA DESCOLGAR LINEAR SQUARE/MINI SQUARE STIL LED	13.650
	ACCSTPL	ACCESORIOS PARA DESCOLGAR PERFIL STPL STIL LED	13.650
	CABLEGRISCLAVIJA	CABLE ENCAUCHETADO GRIS STIL LED 1MT CON CLAVIJA 3 POLOS	13.650
	HOUSING-83655	HOUSING PARA BALA 8" RECESADA INCRUSTAR 36-55W	140.223
	TAPAFOTOCELDA	TAPA PARA BASE DE FOTOCELDA SHORT CAP	21.000
	KITSENSORANT-5-4TBLE	KIT SENSOR STIL LED ANT-5-4T-BLE 0-10V DIMER 12-24V BLUETOOTH BY TUYA AUDIOJACK 3.5MM	210.000
	KITSENSORANT-6-4TBLEGE	KIT SENSOR STIL LED ANT-6-4T-BLE-GE WIRE LESS H-BAY BLUETHOOH 12-24V	210.000
APLIQUES DE EMERGENCIA	APLIQUEAVSALIDA1W-65K	APLIQUE DE EMERGENCIA AVISO DE SALIDA STIL LED IP20 1W 6500K	71.400
	APLIQUEBALEMER5W-65K	APLIQUE DE EMERGENCIA BALA STIL LED IP20 5W 6500K	123.900
	APLIQUEBIFOCAL2.4W-65K	APLIQUE DE EMERGENCIA BIFOCAL STIL LED IP20 2.4W 6500K	52.500
	APLIQUEEMERIP653W-65K	APLIQUE DE EMERGENCIA HERMETICA STIL LED IP65 3W 6500K	68.250
APLIQUES Y SPOT	APLIQUESIL15W-40K	APLIQUE STIL LED SILICONADO IP40 SAMSUNG 15W 4000K	93.450
	APLIQUESIL15W-65K	APLIQUE STIL LED SILICONADO IP40 SAMSUNG 15W 6500K	93.450
	LUZGUIA1W-30K	LUZ GUIA STIL LED SAMSUNG IP65 1W 3000K	114.317
	SPOTRIELN18W-30K	SPOT STIL LED RIEL OSRAM NEGRO IP40 44° 18W 3000K	180.600
VENTO	VENTOLINEALN20W-CCT	VENTO LINEAL NEGRO 60CMS 48V 20W CCT	148.838
	VENTOTRACKN18W-CCT	VENTO TRACK NEGRO 33CMS 48V 18W CCT	157.658
	VENTOTRACKN30W-CCT	VENTO TRACK NEGRO 66CMS 48V 30W CCT	334.058
	VENTOESCUALN12W-CCT	VENTO ESCUALIZABLE NEGRO 22CMS 48V 12W CCT	208.373
	VENTOESCUALN18W-CCT	VENTO ESCUALIZABLE NEGRO 33CMS 48V 18W CCT	265.151
	VENTOSPOTN15W-CCT	VENTO SPOT NEGRO 48V 15W CCT	178.605
	VENTOPENDULON10W-CCT	VENTO PENDULO NEGRO 48V 10W CCT	196.796
	VENTORIELN-2MTS	RIEL VENTO MAGNETICO NEGRO 2MTS	225.750
	VENTOTAPAFINALN	TAPA FINAL PARA RIEL VENTO	8.400
	CONECTORVENTO-RN	CONECTOR RECTO NEGRO PARA RIEL VENTO	32.550
**CCT (3000K-4000K-6000K) ACCESORIOS SE VENDEN POR SEPARADO	CONECTORVENTO-FN	CONECTOR FLEXIBLE NEGRO PARA RIEL VENTO	40.950
	UNIONVENTO-HN	UNION HORIZONTAL NEGRA PARA RIEL VENTO	57.750
	UNIONVENTO-VN	UNION VERTICAL NEGRA PARA RIEL VENTO	57.750
	ACCVENTO	ACCESORIOS PARA DESCOLGAR RIEL VENTO STIL LED	19.950
	CONECTORVENTO-VIA	CONECTOR DE VIA PARA RIEL VENTO	8.295
	DRIVERVENTO-200W	DRIVER STIL LED AC100-260V DC 48V PARA VENTO	246.750
BACKLIGHT IP65	BACK6530X12040W-40K	BACKLIGHT STIL LED 30X120 SAMSUNG DIMERIZABLE 0-10V IP65 40W 4000K	487.200
	BACK6530X12040W-65K	BACKLIGHT STIL LED 30X120 SAMSUNG DIMERIZABLE 0-10V IP65 40W 6500K	487.200
	BACK6530X3022W-40K	BACKLIGHT STIL LED 30X30 SAMSUNG DIMERIZABLE 0-10V IP65 22W 4000K	294.000
	BACK6530X3022W-65K	BACKLIGHT STIL LED 30X30 SAMSUNG DIMERIZABLE 0-10V IP65 22W 6500K	294.000
	BACK6530X6030W-65K	BACKLIGHT STIL LED 30X60 SAMSUNG DIMERIZABLE 0-10V IP65 30W 6500K	414.750
	BACK6560X12063W-40K	BACKLIGHT STIL LED 60X120 SAMSUNG DIMERIZABLE 0-10V IP65 63W 4000K	798.000
	BACK6560X12063W-65K	BACKLIGHT STIL LED 60X120 SAMSUNG DIMERIZABLE 0-10V IP65 63W 6500K	798.000
	BACK6560X6040W-40K	BACKLIGHT STIL LED 60X60 SAMSUNG DIMERIZABLE 0-10V IP65 40W 4000K	422.100
	BACK6560X6040W-65K	BACKLIGHT STIL LED 60X60 SAMSUNG DIMERIZABLE 0-10V IP65 40W 6500K	422.100
BAÑADORES	BAÑADOR1MT22W-30K	BAÑADOR DE MURO STIL LED BRIDGELUX 1 METRO 22W 3000K	346.500
	BAÑADOR1MT22W-40K	BAÑADOR DE MURO STIL LED BRIDGELUX 1 METRO 22W 4000K	346.500
CILINDROS	CILINBALAR7W	CILINDRO PARA BALA DE 2.5" RECESADA 7W	43.000
	CILINBALAF13W	CILINDRO PARA BALA DE 5" FLAT 13W (10-20 cms alto)	72.986
	CILINBALAF16W	CILINDRO PARA BALA DE 7" FLAT 16W (10-20 cms alto)	93.330
	CILINBALAF22W	CILINDRO PARA BALA DE 8" FLAT 22W (10-20 cms alto)	105.827
	CILINBALAR36-55W	CILINDRO PARA BALA DE 8" RECESADA 36-55W (15-25 cms alto)	119.000

BATERIAS	BATERIAEMERGENCIA22-45W	BATERIA DE EMERGENCIA STIL LED SIN CARCASA 22-45W	209.612
BALAS RECESADAS	BALARSAMDIM8W-CCT	BALA STIL LED 3" RECESADA INCRUSTAR IP40 SAMSUNG DIMERIZABLE 8W CCT	99.999
	BALARSAMDIM7W-CCT	BALA STIL LED 2.5" RECESADA INCRUSTAR IP40 SAMSUNG DIMERIZABLE 7W CCT	82.999
	BALARSAM13W-40K	BALA STIL LED 6" RECESADA INCRUSTAR IP40 SAMSUNG DIMERIZABLE 0-10V 13W 4000K	104.600
	BALARSAM13W-65K	BALA STIL LED 6" RECESADA INCRUSTAR IP40 SAMSUNG DIMERIZABLE 0-10V 13W 6500K	104.600
	BALARSAM0-1016W-40K	BALA STIL LED 6" RECESADA INCRUSTAR IP40 SAMSUNG DIMERIZABLE 0-10V 16W 4000K (sin clavija)	104.600
	BALARSAM0-1016W-65K	BALA STIL LED 6" RECESADA INCRUSTAR IP40 SAMSUNG DIMERIZABLE 0-10V 16W 6500K (sin clavija)	104.600
	BALARSAM0-1022W-40K	BALA STIL LED 8" RECESADA INCRUSTAR IP40 SAMSUNG DIMERIZABLE 0-10V 22W 4000K (sin clavija)	131.479
	BALARSAM0-1022W-65K	BALA STIL LED 8" RECESADA INCRUSTAR IP40 SAMSUNG DIMERIZABLE 0-10V 22W 6500K (sin clavija)	131.479
	BALARSAM0-1036W-40K	BALA STIL LED 8" RECESADA INCRUSTAR IP40 SAMSUNG DIMERIZABLE 0-10V 36W 4000K (sin clavija)	211.400
	BALARSAM0-1036W-65K	BALA STIL LED 8" RECESADA INCRUSTAR IP40 SAMSUNG DIMERIZABLE 0-10V 36W 6500K (sin clavija)	211.400
	BALARSAM0-1055W-40K	BALA STIL LED 8" RECESADA INCRUSTAR IP40 SAMSUNG DIMERIZABLE 0-10V 55W 4000K (sin clavija)	229.800
	BALARSAM0-1055W-65K	BALA STIL LED 8" RECESADA INCRUSTAR IP40 SAMSUNG DIMERIZABLE 0-10V 55W 6500K (sin clavija)	229.800
DRIVERS	DRIVERPHILIPS50W	DRIVER PHILIPS XITANIUM 50W BP 800-1400mA 20-48V	89.250
	DRIVERBALASAMS0-10V-13W	DRIVER STIL LED PARA BALAS SAMSUNG DIMERIZABLE 0-10V 13W	57.750
	DRIVERWELEDPRO-25 40W	DRIVER WELED POWER DIMERIZABLE IP40 0-10V WP-CHA-041U PROGRAMABLE 25-40W	63.000
	DRIVERWELEDPRO-40 65W	DRIVER WELED POWER DIMERIZABLE IP40 0-10V WP-CHA-065U PROGRAMABLE 40-65W	81.000
	DRIVERWELED65-18.9W	DRIVER WELED POWER DIMERIZABLE IP65 0-10V WP-HLA-025U0420450 18.9W	65.520
	DRIVERWELED65-60W	DRIVER WELED POWER DIMERIZABLE IP65 0-10V WP-HLA-060U0401500 60W	85.000
SLIM	H-BAYIP40SLIM1PC-40K	H-BAY IP40 STIL LED SLIM 1PC BOARD 70W 4000K	430.500
	H-BAYIP40SLIM1PC-50K	H-BAY IP40 STIL LED SLIM 1PC BOARD 70W 5000K	430.500
	H-BAYIP40SLIM2PC-40K	H-BAY IP40 STIL LED SLIM 2PC BOARD 140W 4000K	640.500
	H-BAYIP40SLIM2PC-50K	H-BAY IP40 STIL LED SLIM 2PC BOARD 140W 5000K	640.500
CANOPI	H-BAYCANOPI1PC-50K	H-BAY CANOPI STIL LED 1PC BOARD 75-82.5W 5000K	598.500
	H-BAYCANOPI2PC-50K	H-BAY CANOPI STIL LED 2PC BOARD 150-165W 5000K	940.988
HERMETICAS	HERMETSAM17W-40K	HERMETICA STIL LED SAMSUNG IP65 60CMS 17W 4000K	116.550
	HERMETSAM17W-65K	HERMETICA STIL LED SAMSUNG IP65 60CMS 17W 6500K	116.550
	HERMETSAM2G40W-40K	HERMETICA STIL LED SAMSUNG IP65 120CMS DIMERIZABLE 2G 0-10V 40W 4000K	134.072
	HERMETSAM2G40W-65K	HERMETICA STIL LED SAMSUNG IP65 120CMS DIMERIZABLE 2G 0-10V 40W 6500K	134.072
	FAROL66N40W-30K	FAROL STIL LED NEGRO IP66 IK10 LUMILED 150° 40W 3000K	1.102.500
	GARDEN40W-45K	GARDEN STIL LED GRIS PHILIPS DIMERIZABLE 0-10V IP65 150° 40W 4500K	1.155.000
	GARDEN40W-57K	GARDEN STIL LED GRIS PHILIPS DIMERIZABLE 0-10V IP65 150° 40W 5700K	1.155.000
	CABECEROU/D10-12W-65K	CABECERO DE CAMA STIL LED DIMERIZABLE UP-DOWN 10/12W 6500K	1.365.000
	UFOPR0-10200W-50K	UFO STIL LED DIMERIZABLE 0-10V IP40 PROGRAMABLE 5000K DVR SOSEN	409.500
	WALLPACKIP65-PRO-CCT	WALLPACK STIL LED IP66 1PC BOARD 20-30-40-60W CCT CON FOTOCELDA	420.000
	BOLARDOSOLARCUA2.8W-30K	BOLARDO SOLAR STIL LED CUADRADO DS2216 2.8W 3000K	283.500
	BOLARDOSOLARLIN2.8W-30K	BOLARDO SOLAR STIL LED LINEAR DS2305 2.8W 3000K	252.000
ROUND <i>(pedir driver de acuerdo a la potencia requerida y sumarlo al precio)</i>	ROUND60-30K	LUMINARIA ROUND STIL LED 60CMS DIMERIZABLE 0-10V 40-80W 3000K	666.750
	ROUND60-40K	LUMINARIA ROUND STIL LED 60CMS DIMERIZABLE 0-10V 40-80W 4000K	666.750
	ROUND91-30K	LUMINARIA ROUND STIL LED 91CMS DIMERIZABLE 0-10V 40-80W 3000K	1.244.250
	ROUND91-40K	LUMINARIA ROUND STIL LED 91CMS DIMERIZABLE 0-10V 40-80W 4000K	1.244.250
	ROUND91-CCT	LUMINARIA ROUND STIL LED 91CMS DIMERIZABLE 0-10V 40-80W CCT	1.244.250
	ROUND127-30K	LUMINARIA ROUND STIL LED 127CMS DIMERIZABLE 0-10V 80W 3000K	1.600.000
	ROUND127-40K	LUMINARIA ROUND STIL LED 127CMS DIMERIZABLE 0-10V 80W 4000K	1.600.000
	ROUND180-30K	LUMINARIA ROUND STIL LED 180CMS DIMERIZABLE 0-10V 80-140W 3000K	2.155.650
	ROUND180-40K	LUMINARIA ROUND STIL LED 180CMS DIMERIZABLE 0-10V 80-140W 4000K	2.155.650
	ROUND180-65K	LUMINARIA ROUND STIL LED 180CMS DIMERIZABLE 0-10V 80-140W 6500K	2.155.650
	ROUND180-CCT	LUMINARIA ROUND STIL LED 180CMS DIMERIZABLE 0-10V 80-140W CCT	2.155.650
	LINEART51-10W-40K	LINEAR T5 STIL LED RIEL 1MT SAMSUNG 10W 4000K	81.060

MURANOS <i>(10cms de altura)</i>	MURANO30CMS22W-40K	LUMINARIA STIL LED MURANO 30X10CMS 22W 4000K	299.250
	MURANO30CMS22W-65K	LUMINARIA STIL LED MURANO 30X10CMS 22W 6500K	299.250
	MURANO40CMS22W-30K	LUMINARIA STIL LED MURANO 40X10CMS 22W 3000K	363.300
	MURANO40CMS22W-40K	LUMINARIA STIL LED MURANO 40X10CMS 22W 4000K	363.300
	MURANO40CMS22W-65K	LUMINARIA STIL LED MURANO 40X10CMS 22W 6500K	363.300
	MURANO60CMS42W-30K	LUMINARIA STIL LED MURANO 60X10CMS 42W 3000K	595.350
	MURANO60CMS42W-40K	LUMINARIA STIL LED MURANO 60X10CMS 42W 4000K	595.350
	MURANO60CMS42W-65K	LUMINARIA STIL LED MURANO 60X10CMS 42W 6500K	595.350
	MURANO90CMS80W-40K	LUMINARIA STIL LED MURANO 90X10CMS 80W 4000K	1.113.000
	MURANO90CMS80W-65K	LUMINARIA STIL LED MURANO 90X10CMS 80W 6500K	1.113.000
	MURANO120CMS80W-40K	LUMINARIA STIL LED MURANO 120X10CMS 80W 4000K	1.462.650
	MURANO120CMS80W-65K	LUMINARIA STIL LED MURANO 120X10CMS 80W 6500K	1.462.650
	MURANO120CMS160W-30K	LUMINARIA STIL LED MURANO 120X10CMS 160W 3000K	1.842.750
	MURANO120CMS160W-40K	LUMINARIA STIL LED MURANO 120X10CMS 160W 4000K	1.842.750
	MURANO120CMS160W-65K	LUMINARIA STIL LED MURANO 120X10CMS 160W 6500K	1.842.750
PERFILES	PERFIL017R5-2.5	PERFIL EN ALUMINIO STIL LED PARA INCRUSTAR 017-R5 2.5 METROS	195.300
	PERFIL045R-2.5	PERFIL EN ALUMINIO STIL LED PARA INCRUSTAR 045-R 2.5 METROS	245.334
	PERFIL105R-2.5	PERFIL EN ALUMINIO STIL LED PARA INCRUSTAR 105-R5 2.5 METROS	221.550
	PERFILCCT-2.5	PERFIL EN ALUMINIO STIL LED PARA DESCOLGAR CCT 2.5 METROS	316.155
	PERFIL4580-2.5	PERFIL EN ALUMINIO STIL LED PARA DESCOLGAR 4580 2.5 METROS MINISQUARE	268.711
SOLAR	PANELSOLAR90W	KIT POR 3 PANELES SOLARES 90W	945.000
	BATERIASOLAR65	BATERIA PARA PANEL SOLAR 65Ah	2.310.000
	FAROL66N40W-30K	FAROL STIL LED NEGRO IP66 IK10 LUMILED 150° 40W 3000K SIN DRIVER SOLO PARA KIT SOLAR	992.500
	GARDEN40W-45K	GARDEN STIL LED GRIS PHILIPS DIMERIZABLE 0-10V IP65 150° 40W 4500K SIN DRIVER SOLO PARA KIT SOLAR	1.045.000
	PROYECTOR SOLAR1PCB	PROYECTOR STIL LED SOLAR 1PCB 45W	305.865
STREET	STREET40-60W50KBASE	STREET STIL LED IP65 IK08 PROGRAMABLE DIMERIZABLE 40-60W 5000K CON BASE PARA FOTOCELDA	502.079
	STREET70-100W50KBASE	STREET STIL LED IP65 IK08 PROGRAMABLE DIMERIZABLE 70-100W 5000K CON BASE PARA FOTOCELDA	637.560
	STREET100-150W50KBASE	STREET STIL LED IP65 IK08 PROGRAMABLE DIMERIZABLE 100-150W 5000K CON BASE PARA FOTOCELDA	741.164
	STREET150-200W50KBASE	STREET STIL LED IP65 IK08 PROGRAMABLE DIMERIZABLE 150-200W 5000K CON BASE PARA FOTOCELDA	796.950
	STREET SOL40W-40K	STREET LED SOLAR ALL IN ONE ASL-08-40W IP65 40W 4000K	1.155.000
	STREET SOL80W-40K	STREET LED SOLAR ALL IN ONE LSL70SE IP65 80W 4000K	3.119.550
PC BOARD	PCB56CM10-30W-50K	PC BOARD STIL LED SAMSUNG 56CMS 10-30W 5000K	42.840
	PCB62CM10-30W-30K	PC BOARD STIL LED SAMSUNG 62CMS 10-30W 3000K	50.400
	PCB62CM10-30W-40K	PC BOARD STIL LED SAMSUNG 62CMS 10-30W 4000K	50.400
	PCB62CM10-30W-65K	PC BOARD STIL LED SAMSUNG 62CMS 10-30W 6500K	50.400
	PCBMINI10-60W-30K	PC BOARD STIL LED SAMSUNG 125CMS MINI SQUARE 10-60W 3000K	46.732
	PCBMINI10-60W-40K	PC BOARD STIL LED SAMSUNG 125CMS MINI SQUARE 10-60W 4000K	46.732
	PCBMINI10-60W-65K	PC BOARD STIL LED SAMSUNG 125CMS MINI SQUARE 10-60W 6500K	46.732
	PCBMINI10-60W-CCT	PC BOARD STIL LED SAMSUNG 125CMS MINI SQUARE 10-60W CCT INCLUYE DISPOSITIVO	89.250
	PCB125CMS105-40K	PC BOARD STIL LED SAMSUNG 125CMS 105 10-60W 4000K	50.400
	PCB125CMS105-65K	PC BOARD STIL LED SAMSUNG 125CMS 105 10-60W 6500K	50.400
	PCB62CMS105-40K	PC BOARD STIL LED SAMSUNG 62CMS 105 10-60W 4000K	24.675
	PCB62CMS105-65K	PC BOARD STIL LED SAMSUNG 62CMS 105 10-60W 6500K	24.675
	PCBSQUARE10-60W-30K	PC BOARD STIL LED SAMSUNG 120CMS SQUARE 10-60W 3000K	57.750
	PCBSQUARE10-60W-40K	PC BOARD STIL LED SAMSUNG 120CMS SQUARE 10-60W 4000K	57.750
	PCBSQUARE10-60W-65K	PC BOARD STIL LED SAMSUNG 120CMS SQUARE 10-60W 6500K	57.750
	PCBSQUARE10-60W-CCT	PC BOARD STIL LED SAMSUNG 120CMS SQUARE 10-60W CCT INCLUYE DISPOSITIVO	99.750
	PCBBALAR25-36W-30K	PC BOARD STIL LED SAMSUNG PARA BALA RECESADA 25-36W 3000K	41.475
	PCBBALAR25-36W-40K	PC BOARD STIL LED SAMSUNG PARA BALA RECESADA 25-36W 4000K	41.475
	PCBBALAR25-36W-65K	PC BOARD STIL LED SAMSUNG PARA BALA RECESADA 25-36W 6500K	41.475
	PCBBALAR36-55W-40K	PC BOARD STIL LED SAMSUNG PARA BALA RECESADA 36-55W 4000K	61.950
	PCBBALAR36-55W-65K	PC BOARD STIL LED SAMSUNG PARA BALA RECESADA 36-55W 6500K	61.950

PROYECTORES Y WALLPACK	PROYECTORIP66-1PC-40K	PROYECTOR STIL LED IP66 1PC BOARD 20-80W 4000K	572.623
	PROYECTORIP66-1PC-50K	PROYECTOR STIL LED IP66 1PC BOARD 20-80W 5000K	572.623
	PROYECTORIP66-2PC-40K	PROYECTOR STIL LED IP66 2PC BOARD 135-160W 4000K	893.025
	PROYECTORIP66-2PC-50K	PROYECTOR STIL LED IP66 2PC BOARD 135-160W 5000K	893.025
	PROYECTORIP66-3PC-40K	PROYECTOR STIL LED IP66 3PC BOARD 200-240W 4000K	1.162.035
	PROYECTORIP66-3PC-50K	PROYECTOR STIL LED IP66 3PC BOARD 200-240W 5000K	1.162.035
	PROYECTORIP66-4PC-40K	PROYECTOR STIL LED IP66 4PC BOARD 265-320W 4000K	1.596.000
	PROYECTORIP66-4PC-50K	PROYECTOR STIL LED IP66 4PC BOARD 265-320W 5000K	1.596.000
	PROYECTORIP66-5PC-40K	PROYECTOR STIL LED IP66 5PC BOARD 330-400W 4000K	2.031.908
	PROYECTORIP66-5PC-50K	PROYECTOR STIL LED IP66 5PC BOARD 330-400W 5000K	2.031.908
	PROYECTORIP66-6PC-40K	PROYECTOR STIL LED IP66 6PC BOARD 390-480W 4000K	2.393.087
	PROYECTORIP66-6PC-50K	PROYECTOR STIL LED IP66 6PC BOARD 390-480W 5000K	2.393.087
	PROYECTORIP66-8PC-40K	PROYECTOR STIL LED IP66 SPORT ARENA 8PC BOARD 480-640W 4000K	2.973.487
	PROYECTORIP66-8PC-50K	PROYECTOR STIL LED IP66 SPORT ARENA 8PC BOARD 480-640W 5000K	2.973.487
	PROYECTORIP66-10PC-40K	PROYECTOR STIL LED IP66 SPORT ARENA 10PC BOARD 660-800W 4000K	3.498.600
	PROYECTORIP66-10PC-50K	PROYECTOR STIL LED IP66 SPORT ARENA 10PC BOARD 660-800W 5000K	3.498.600
	PROYECTORIP66-12PC-40K	PROYECTOR STIL LED IP66 SPORT ARENA 12PC BOARD 900-960W 4000K	4.058.250
	PROYECTORIP66-12PC-50K	PROYECTOR STIL LED IP66 SPORT ARENA 12PC BOARD 900-960W 5000K	4.058.250
	PROYECTORHORT-1PC	PROYECTOR HORTICULTURA STIL LED IP66 IK08 1PC BOARD 67.5-80W FULL SPECTRO	1.081.500
	PROYECTORHORT-2PC	PROYECTOR HORTICULTURA STIL LED IP66 IK08 2PC BOARD 135-160W FULL SPECTRO	2.520.000
	WALLPACKIP66-1PC-40K	WALLPACK STIL LED IP66 1PC BOARD 67.5-80W 4000K	420.000
	WALLPACKIP66-1PC-50K	WALLPACK STIL LED IP66 1PC BOARD 67.5-80W 5000K	420.000
Lineares > a 5mts + 5%			
Figuras + 10%			

LISTA DE PRECIOS SALDOS DE PRODUCTO DESCONTINUADOS

REFERENCIA	CODIGO	DESCRIPCIÓN	PRECIO
ACCESORIOS	RIEL1MTBLANCO	RIEL STIL LED PARA SPOT 1 METRO BLANCO	72.345
	RIEL2MTBLANCO	RIEL PARA SPOT 2 METROS BLANCO	82.845
	SENSORPHSNS200	SENSOR PHILIPS EASYSENSE FIXTURE-MOUNT SNS200**	225.200
APLIQUES Y SPOT	APLIQUESIL15W-40K	APLIQUE STIL LED SILICONADO IP40 SAMSUNG 15W 4000K	93.450
	APLIQUESIL15W-65K	APLIQUE STIL LED SILICONADO IP40 SAMSUNG 15W 6500K	93.450
	APLIQUESIL25W-40K	APLIQUE STIL LED SILICONADO IP40 SAMSUNG 25W 4000K	184.673
	APLIQUESIL25W-65K	APLIQUE STIL LED SILICONADO IP40 SAMSUNG 25W 6500K	184.673
	SPOTCDB40W-30K	SPOT STIL LED CUADRADO OSRAM BLANCO IP40 34° 40W 3000K	176.400
	SPOTCDN40W-30K	SPOT STIL LED CUADRADO OSRAM NEGRO IP40 34° 40W 3000K	176.400
	SPOTCDN0-1018W-40K	SPOT STIL LED CUADRADO OSRAM NEGRO IP40 34° DIMERIZABLE 0-10V 18W 4000K	128.300
	SPOTLUNAB40W-30K	SPOT STIL LED LUNA OSRAM BLANCO IP40 34° 40W 3000K	176.400
	SPOTLUNAN40W-30K	SPOT STIL LED LUNA OSRAM NEGRO IP40 34° 40W 3000K	176.400
	SPOTRIELB18W-30K	SPOT STIL LED RIEL OSRAM BLANCO IP40 44° 18W 3000K	128.300
	SPOTRIELN35W-30K	SPOT STIL LED RIEL OSRAM NEGRO IP40 34° 35W 3000K	198.700
	LUZGUIA1W-65K	LUZ GUIA STIL LED SAMSUNG IP65 1W 6500K	114.317
TORTUGA9W-65K	TORTUGA STIL LED SOBREPONER IP65 9W 6500K	77.068	
BALAS DE PISO	BALAPISO2W-40K	BALA DE PISO STIL LED 2" EPISTAR IP65 2W 4000K	50.000
BALAS RECESADAS	BALARSAM8W-40K	BALA STIL LED 3" RECESADA INCRUSTAR IP40 SAMSUNG 8W 4000K	84.000
	BALARSAM8W-65K	BALA STIL LED 3" RECESADA INCRUSTAR IP40 SAMSUNG 8W 6500K	84.000
	BALARSAMDIM7W-35K	BALA STIL LED 2.5" RECESADA INCRUSTAR IP40 SAMSUNG DIMERIZABLE 7W 3500K	74.550
	BALAR7SAM13W-30K	BALA STIL LED 7" RECESADA INCRUSTAR IP40 SAMSUNG 13W 3000K	79.800
	BALAR7SAM13W-65K	BALA STIL LED 7" RECESADA INCRUSTAR IP40 SAMSUNG 13W 6500K	79.800
BALAS FLAT IP40	BALAFSAM13W-30K	BALA STIL LED 5" FLAT INCRUSTAR IP40 SAMSUNG 13W 3000K	60.400
	BALAFSAM13W-65K	BALA STIL LED 5" FLAT INCRUSTAR IP40 SAMSUNG 13W 6500K	60.400
	BALAFSAM0-1013W-65K	BALA STIL LED 5" FLAT INCRUSTAR IP40 SAMSUNG DIMERIZABLE 0-10V 13W 6500K	60.400
	BALAFSAM0-1016W-40K	BALA STIL LED 7" FLAT INCRUSTAR IP40 SAMSUNG DIMERIZABLE 0-10V 16W 4000K	68.000
	BALAFSAM0-1016W-65K	BALA STIL LED 7" FLAT INCRUSTAR IP40 SAMSUNG DIMERIZABLE 0-10V 16W 6500K	68.000
	BALAFSAM0-1022W-40K	BALA STIL LED 8" FLAT INCRUSTAR IP40 SAMSUNG DIMERIZABLE 0-10V 22W 4000K	99.000
	BALAFSAM0-1022W-65K	BALA STIL LED 8" FLAT INCRUSTAR IP40 SAMSUNG DIMERIZABLE 0-10V 22W 6500K	99.000
	BALAFSAMCD18W-40K	BALA STIL LED 6" FLAT INCRUSTAR IP40 CUADRADA SAMSUNG 18W 4000K	101.400
	BALAFSAMCD18W-65K	BALA STIL LED 6" FLAT INCRUSTAR IP40 CUADRADA SAMSUNG 18W 6500K	101.400
	BALAFSAMPL10W-40K	BALA STIL LED 4" FLAT INCRUSTAR IP40 SAMSUNG DIMERIZABLE PLASTIC CASE 10W 4000K	75.400
	BALAFSAMPL10W-65K	BALA STIL LED 4" FLAT INCRUSTAR IP40 SAMSUNG DIMERIZABLE PLASTIC CASE 10W 6500K	75.400
BALAS FLAT IP65	BALAFSAM650-1016W-40K	BALA STIL LED 7" FLAT INCRUSTAR IP65 SAMSUNG DIMERIZABLE 0-10V 16W 4000K	106.100
	BALAFSAM650-1016W-65K	BALA STIL LED 7" FLAT INCRUSTAR IP65 SAMSUNG DIMERIZABLE 0-10V 16W 6500K	106.100
	BALAFSAM650-1022W-40K	BALA STIL LED 8" FLAT INCRUSTAR IP65 SAMSUNG DIMERIZABLE 0-10V 22W 4000K	134.400
	BALAFSAM650-1022W-65K	BALA STIL LED 8" FLAT INCRUSTAR IP65 SAMSUNG DIMERIZABLE 0-10V 22W 6500K	134.400
	BALAFSAM65DIM8W-30K	BALA STIL LED 4" FLAT INCRUSTAR IP65 SAMSUNG DIMERIZABLE 8W 3000K	55.000
	BALAFSAM65DIM8W-35K	BALA STIL LED 4" FLAT INCRUSTAR IP65 SAMSUNG DIMERIZABLE 8W 3500K	55.000
	BALAFSAM65DIM8W-40K	BALA STIL LED 4" FLAT INCRUSTAR IP65 SAMSUNG DIMERIZABLE 8W 4000K	55.000
	BALAFSAM65DIM8W-65K	BALA STIL LED 4" FLAT INCRUSTAR IP65 SAMSUNG DIMERIZABLE 8W 6500K	55.000
BAÑADORES	BAÑADOR30CM9W-35K	BAÑADOR DE MURO STIL LED BRIDGELUX 30 CENTIMETROS 9W 3500K	171.350
	BAÑADOR50CM15W-65K	BAÑADOR DE MURO STIL LED BRIDGELUX 50 CENTIMETROS 15W 6500K	224.000
	BAÑADOR1MT22W-65K	BAÑADOR DE MURO STIL LED BRIDGELUX 1 METRO 22W 6500K	346.500
	BAÑADOR30CM9W-RGB	BAÑADOR DE MURO STIL LED BRIDGELUX 30 CENTIMETROS 9W RGB	160.000
	DRIVERBAÑADOR-15W	DRIVER STIL LED PARA BAÑADOR DE MURO RGB 15W	60.258
	DRIVERBAÑADOR-24W	DRIVER STIL LED PARA BAÑADOR DE MURO RGB 24W	60.258
	DRIVERBAÑADOR-9W	DRIVER STIL LED PARA BAÑADOR DE MURO RGB 9W	60.258
	CONTROLBAÑADOR	CONTROL STIL LED PARA BAÑADOR RGB	75.242

BACKLIGHT IP40	BACK30X12040W-40K	BACKLIGHT STIL LED 30X120 SAMSUNG DIMERIZABLE 0-10V IP40 40W 4000K	241.500
	BACK30X12040W-65K	BACKLIGHT STIL LED 30X120 SAMSUNG DIMERIZABLE 0-10V IP40 40W 6500K	241.500
	BACK30X3030W-40K	BACKLIGHT STIL LED 30X30 SAMSUNG DIMERIZABLE 0-10V IP40 20W 4000K	156.450
	BACK30X3030W-65K	BACKLIGHT STIL LED 30X30 SAMSUNG DIMERIZABLE 0-10V IP40 20W 6500K	156.450
	BACK30X6040W-40K	BACKLIGHT STIL LED 30X60 SAMSUNG DIMERIZABLE 0-10V IP40 40W 4000K	177.293
	BACK30X6040W-65K	BACKLIGHT STIL LED 30X60 SAMSUNG DIMERIZABLE 0-10V IP40 40W 6500K	177.293
	BACK60X12063W-40K	BACKLIGHT STIL LED 60X120 SAMSUNG DIMERIZABLE 0-10V IP40 63W 4000K	363.038
	BACK60X12063W-65K	BACKLIGHT STIL LED 60X120 SAMSUNG DIMERIZABLE 0-10V IP40 63W 6500K	363.038
	BACK60X6040W-30K	BACKLIGHT STIL LED 60X60 SAMSUNG DIMERIZABLE 0-10V IP40 40W 3000K	184.800
	BACK60X6040W-40K	BACKLIGHT STIL LED 60X60 SAMSUNG DIMERIZABLE 0-10V IP40 40W 4000K	184.800
	BACK60X6040W-65K	BACKLIGHT STIL LED 60X60 SAMSUNG DIMERIZABLE 0-10V IP40 40W 6500K	184.800
	BACKLV60X6036W-40K	BACKLIGHT STIL LED 60X60 IP20 36W 4000K	100.800
	BACKLV60X6036W-65K	BACKLIGHT STIL LED 60X60 IP20 36W 6500K	100.800
BATERIAS	BATERIAEMERGENCIA3-22W	BATERIA DE EMERGENCIA STIL LED SIN CARCASA 3-22W	171.350
DRIVERS	DRIVERLEDVANCE36W	DRIVER LEDVANCE OPTOTRONIC ON/OFF 36W	48.070
	DRIVEROSRAM50W	DRIVER IT DIM 50W/120-277/1A4 CS L OSRAM**	79.500
	DRIVEROSRAM85W	DRIVER OSRAM OPTOTRONIC OTI85/120-277/2A3 DIML 85W 57422**	95.000
	DRIVERON/OFF-20W	DRIVER STIL LED ON/OFF 20W	30.000
	DRIVERON/OFF-40W	DRIVER STIL LED ON/OFF 40W	40.000
	DRIVERON/OFFMSQ-50W	DRIVER STIL LED PARA LINEAR MINI SQUARE ON/OFF 50W	45.000
	DRIVERON/OFFSQ-50W	DRIVER STIL LED PARA LINEAR SQUARE ON/OFF 50W	45.000
	DRIVERPCIP40-37.5W	DRIVER STIL LED PARA PC BOARD IP40 37.5W	30.000
H-BAY	H-BAYIP401PC-40K	H-BAY IP40 STIL LED 1PC BOARD WELLED POWER 65W 4000K ANTIGUO DISEÑO	322.918
	H-BAYIP401PC-50K	H-BAY IP40 STIL LED 1PC BOARD WELLED POWER 65W 5000K ANTIGUO DISEÑO	322.918
	H-BAYIP401PC-65K	H-BAY IP40 STIL LED 1PC BOARD WELLED POWER 65W 6500K ANTIGUO DISEÑO	322.918
	H-BAYIP402PC-40K	H-BAY IP40 STIL LED 2PC BOARD WELLED POWER 130W 4000K ANTIGUO DISEÑO	645.078
	H-BAYIP403PC-40K	H-BAY IP40 STIL LED 3PC BOARD WELLED POWER 195W 4000K ANTIGUO DISEÑO	959.217
	H-BAYIP404PC-40K	H-BAY IP40 STIL LED 4PC BOARD WELLED POWER 260W 4000K ANTIGUO DISEÑO	1.263.341
	H-BAYIP401PC-55W40K	H-BAY IP40 STIL LED 1PC BOARD WELED 55W 4000K	283.757
	H-BAYIP401PC-55W50K	H-BAY IP40 STIL LED 1PC BOARD WELED 55W 5000K	283.757
	H-BAYIP402PC-110W40K	H-BAY IP40 STIL LED 2PC BOARD WELED 110W 4000K	566.757
	H-BAYIP402PC-110W50K	H-BAY IP40 STIL LED 2PC BOARD WELED 110W 5000K	566.757
HERMETICAS	HERMETEPI17W-65K	HERMETICA STIL LED EPISTAR IP65 60CMS 17W 6500K	93.600
	HERMETSAM1G40W-40K	HERMETICA STIL LED SAMSUNG IP65 120CMS DIMERIZABLE 1G 0-10V 40W 4000K	99.000
	HERMETSAM1G40W-65K	HERMETICA STIL LED SAMSUNG IP65 120CMS DIMERIZABLE 1G 0-10V 40W 6500K	99.000
	HERMETSAM3G40W-CCT	HERMETICA STIL LED SAMSUNG IP65 120CMS DIMERIZABLE 3G 0-10V 40W CCT	121.000
LINEARES	LINEARFLATSAMS28W-40K	LINEAR FLAT STIL LED SAMSUNG 28W 4000K	173.600
	LINEARFLATSAMS28W-50K	LINEAR FLAT STIL LED SAMSUNG 28W 5000K	173.600
	LINEARFLATSAMS28W-65K	LINEAR FLAT STIL LED SAMSUNG 28W 6500K	173.600
	LINEARSQUAREESP35W-65K	LINEAR SQUARE STIL LED 1.20M SAMSUNG ESPECULAR 35W 6500K	187.000
	LINEART51.220W-40K	LINEAR T5 STIL LED RIEL 1.2MT SAMSUNG 20W 4000K	51.000
	LINEART51-10W-65K	LINEAR T5 STIL LED RIEL 1MT SAMSUNG 10W 6500K	41.750
	LINEART550-8W-40K	LINEAR T5 STIL LED RIEL 50CMS SAMSUNG 8W 4000K	34.000
	LINEART550-8W-65K	LINEAR T5 STIL LED RIEL 50CMS SAMSUNG 8W 6500K	34.000
	LINEART560-10W-40K	LINEAR T5 STIL LED RIEL 60CMS SAMSUNG 10W 4000K	34.000
	LINEART550-0-108W-40K	LINEAR T5 STIL LED RIEL 50CMS SAMSUNG DIMERIZABLE 0-10V 8W 4000K	34.000
	LINEAR15W-40K	LINEAR STIL LED SAMSUNG ALUMINIO 15W 4000K	50.000
	LINEAR15W-65K	LINEAR STIL LED SAMSUNG ALUMINIO 15W 6500K	50.000

PC BOARD	PCBOS1100-50K	PC BOARD OSRAM PLPG3-LIN-1100-850-560X18 7W 160mA 5000K	48.858
	PCBOS2200-30K	PC BOARD OSRAM PLPG3-LIN-2200-830-560X24 14W 320mA 3000K	48.858
	PCBOSPRO2200-30K	PC BOARD OSRAM PL-LIN-PRO-AU2200-830-560 300mA 3000K	48.858
	PCBOSPRO2200-40K	PC BOARD OSRAM PL-LIN-PRO-AU2200-840-560 300mA 4000K	48.858
	PCBPH2100-40K	PC BOARD PHILIPS FORTIMO LED VO 22IN 2100LM 840 LV2 4000K	48.858
	PCBPH2200-35K	PC BOARD PHILIPS FORTIMO LED STRIP 22IN 2200LM 835 LV5 3500K	48.858
	PCBPH4200-40K	PC BOARD PHILIPS FORTIMO LED VO 22IN 4200LM 840 LV2 4000K	48.858
	PCBPH-50K	PC BOARD PHILIPS FORTIMO LED STRIP 2FT 850 LV4 5000K	48.858
PERFILES	PERFIL6545C-2.5	PERFIL EN ALUMINIO STIL LED PARA INCRUSTAR 6545-C 2.5 METROS	233.651
	PERFIL7080-2.4	PERFIL EN ALUMINIO STIL LED PARA DESCOLGAR 7080 2.4 METROS	318.150
	PERFIL018R3-2.5	PERFIL EN ALUMINIO STIL LED PARA DESCOLGAR 018-R3 2.5 METROS	244.650
	PERFIL045RD-2.5	PERFIL EN ALUMINIO STIL LED PARA INCRUSTAR 045-RD 2.5 METROS	233.651
PROYECTORES	PROYECTORIP66-1PC37.5-65K	PROYECTOR STIL LED IP66 1PC BOARD 37.5W 6500K	390.000
TROFFER	TROFFER30X12040W-40K	TROFFER STIL LED 30X120 SAMSUNG DIMERIZABLE 0-10V 40W 4000K	213.600
	TROFFER30X12040W-65K	TROFFER STIL LED 30X120 SAMSUNG DIMERIZABLE 0-10V 40W 6500K	213.600
	TROFFER60X12063W-40K	TROFFER STIL LED 60X120 SAMSUNG DIMERIZABLE 0-10V 63W 4000K	254.800
	TROFFER60X12063W-65K	TROFFER STIL LED 60X120 SAMSUNG DIMERIZABLE 0-10V 63W 6500K	254.800
	TROFFER60X6040W-40K	TROFFER STIL LED 60X60 SAMSUNG DIMERIZABLE 0-10V 40W 4000K	177.000
	TROFFER60X6040W-65K	TROFFER STIL LED 60X60 SAMSUNG DIMERIZABLE 0-10V 40W 6500K	177.000